

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING	DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/649,370	08/27/2003		Joseph M. Jacobson	INK-045CPC1 (2108/41)	INK-045CPC1 (2108/41) 4734	
21323	7590	01/25/2005		EXAM	INER	
TESTA, HUI		HIBEAULT, L	LP	HOLLINGTON	I, JERMELE M	
125 HIGH ST				ART UNIT	PAPER NUMBER	
BOSTON, M.	A 02110			2829		

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Mc				
	Application No.	Applicant(s)				
	10/649,370	JACOBSON ET AL.				
Office Action Summary	Examin r	Art Unit				
	Jermele M. Hollington	2829				
The MAILING DATE of this communication app Period for Reply	ars on the cov r sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was a really a reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 27 Au	<u> </u>					
	action is non-final.					
3) Since this application is in condition for allowar	nce except for formal matters, pro	osecution as to the merits is				
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 48-94 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 48-94 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the contract of the contract	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat ity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>08/03</u> .	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:					

Art Unit: 2829

...

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: on page 14, paragraph [0046], line 6, the item number "312" should be changed to --315-- to be consistent with the item number for the switch.

Appropriate correction is required.

2. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: there is no proper antecedent basis for the following claimed limitations: a plurality of cavities [shown in claims 48, and 71], one cavity [claims 58, 70, 81, and 91].

Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 48-94 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-47 of copending Application No. 10/277,527. Although the conflicting claims are not identical, they are not patentably distinct from each other because in Application No. 10/649,370, "a plurality of

cavities dispersed in a polymeric matrix" is the same as, from the examiner's view point, "a plurality of capsules dispersed in a binder phase" in Application No. 10/277,527. 1) In both applications, "said plurality of cavities" and "said plurality of capsules" have the same limitation. For example, in claim 48 of Application No.10/649,370 and claim 1 of Application No. 10/277,527 disclose the plurality of cavities and plurality of capsules as both having "an electrophorectic contrast media phase that includes at least one particle and a suspending fluid."

2) "A polymeric matrix" in Application No.10/649,370 is part of "a binder phase" in Application No. 10/277,527 as shown in page 7, paragraph [0020], lines 7-11.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

The following is the relation between the claims of Application No. 10/649,370 and the claims of Application No. 10/277,527; Claim 48 of Application No. 10/649,370 is similar to claim 1 of Application 10/277,527; claims 49-57 to claims 2-10; claim 58 of Application No. 10/649,370 is similar to claim 11 of Application 10/277,527; claims 59-69 to claims 12-22; claim 70 of Application No. 10/649,370 is similar to claim 23 of Application 10/277,527; claims 71 of Application No. 10/649,370 is similar to claim 24 of Application 10/277,527; claims 72-80 to claims 25-33; claim 81 of Application No. 10/649,370 is similar to claim 34 of Application 10/277,527; claims 82-90 to claims 35-43; claim 91 of Application No. 10/649,370 is similar to claim 44 of Application 10/277,527; and claims 92-94 to claims 45-47.

Art Unit: 2829

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermele M. Hollington whose telephone number is (571) 272-1960. The examiner can normally be reached on M-F (9:00-4:30 EST) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (517) 272-2034. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jermele M. Hollington Patent Examiner Art Unit 2829

JMH January 19, 2005